EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	330735	(monitor$4 or track$4 or check$4) same (perform$4 or work$4 or operat$3 or run$4) same (storage or disk or disc or memory or CPU or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2006/05/18 15:19
L2	78	L1 same (intercept$4 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:52
L3	358375	(enhanc$4 or improv$4) adj3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:06
L4	60	L3 same (reallocat$4 or re-allocat$4) same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:17
L5	1	2 same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:18
L6	1	2 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:18
L7	1	(improv$3 or enhanc$3) same (perform$4 or work$4 or operat$3) same (storage or disk or disc or memory or CPU or memories) same (re-allocat$3 or reallocat$3) same (intercept$3 near3 communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:45
S1	48644	("714"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:05

S2	293348	(monitor$4 or track$4 or check$4) same (perform$4 or work$4 or operat$3 or run$4) same (storage or disk or disc or memory or CPU or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:11
S3	102	(analyz$4 or analis$4) same (intercept$4 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:36
S4	717	(reallocat$4 or re-allocat$4) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:34
S5	1	S2 same S3 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:29
S6	7	S2 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:18
S7	56	S2 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:18
S8	1	S7 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:22
S9	7	S7 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:22

EAST Search History

S10	9	automatic$4 adj2 (reallocat$4 or re-allocat$4) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:30
S11	2	S7 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:31
S12	5316	predict$4 near3 fail$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:32
S13	2	S7 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:33
S14	7	(threshold adj2 value) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:35
S15	106457	(declin$4 or reduc$4 or decreas$4 or lower) near3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:37
S16	2	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:38
S17	148	(compar$4 or match$4) near4 S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:40

EAST Search History

S18	1	S15 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:41
S19	221	S15 same ((prior or before or previous or preced$4) adj3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:57
S20	0	S19 same (backup or back-up or backing-up or (backing adj up) or (back adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:44
S21	1	S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:44
S22	23	S7 and ("711"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:45
S23	50	S7 and (7$/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:45
S24	0	S22 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:46
S25	1	S23 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:47

EAST Search History

| S26	40575	enhance adj3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:33
S27	6	S26 and S4 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:48
S28	1	S27 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:28
S29	2	("6442715").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 09:29
S30	106457	(declin$4 or reduc$4 or decreas$4 or lower) near3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:39
S31	9	automatic$4 adj2 (reallocat$4 or re-allocat$4) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:06
S32	0	S30 and S31 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:41
S33	0	S30 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:41

EAST Search History

S34	102	(analyz$4 or analis$4) same (intercept$4 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:41
S35	0	S29 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:41
S36	5316	predict$4 near3 fail$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:55
S37	83	(prior or before or previous or preced$4) adj3 S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:57
S38	717	(reallocat$4 or re-allocat$4) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:58
S39	1	S37 same S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:58
S40	293348	(monitor$4 or track$4 or check$4) same (perform$4 or work$4 or operat$3 or run$4) same (storage or disk or disc or memory or CPU or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 09:58
S41	310123	(enhanc$4 or improv$4) adj3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:11

EAST Search History

S42	2679	S40 same S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:11
S43	3	S42 same S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:17
S44	102	(analyz$4 or analis$4) same (intercept$4 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:12
S45	1	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:11
S46	1	((analyz$4 or analis$4) same communication) and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:14
S47	1	S42 and S38 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:14
S48	1	S42 and S38 and ((analyz$4 or analis$4) same communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:28
S49	31	S42 and S38 and (analyz$4 or analis$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:31

EAST Search History

S50	11	S49 and ("714"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:41
S52	17	S49 and ("711"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 12:04
S53	0	S49 and (accass$4 adj2 (location or frequency or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 12:05
S54	27	S49 and (access$4 adj2 (location or frequency or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 12:06
S55	638	(714/42).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:33
S56	988	(714/47).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:54
S57	39	(collins-kevin$ or fleischmann-michael$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:23
S58	314337	(monitor$4 or track$4 or check$4) same (perform$4 or work$4 or operat$3 or run$4) same (storage or disk or disc or memory or CPU or memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:23

S59	121	(analyz$4 or analis$4) same (intercept$4 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:52
S60	8	S58 same S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:23
S61	8	S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:32
S62	1725	enhance with (performance or operat$3 or execut$4) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:34
S63	1	(reallocat$4 or re-allocat$4) same S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:36
S64	0	(reallocat$4 or re-allocat$4) and S62 and (intercept$4 with communiction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:37
S65	27	(reallocat$4 or re-allocat$4) and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:39
S66	21	S65 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:39

09/966,953 Updated S

IEEE Xplore®
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History   BROWSE   SEARCH   IEEE XPLORE GUIDE

Thu, 18 May 2006, 5:28:24 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

[   ]

█████████ █████

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   ((improve<in>metadata) <and> (memory<in>metadata))
      <and> (reallocating<in>metadata)

#2   ((improve<in>metadata) <and> (memory<in>metadata))
      <and> (reallocating<in>metadata)

#3   ((improve<in>metadata) <and> (memory<in>metadata))
      <and> (reallocating<in>metadata)

#4   ((improve<in>metadata) <and> (memory<in>metadata))
      <and> (reallocating<in>metadata)

#5   ((improve<in>metadata) <and> (memory<in>metadata))
      <and> (reallocating<in>metadata)

#6   ((improve<in>metadata) <and> (memory<in>metadata))
      <and> (reallocating<in>metadata)

#7   ((enhancing<in>metadata) <and> (perform
      storage<in>metadata))<and> (reallocate<in>metadata)

#8   ((enhancing<in>metadata) <and> (perform
      storage<in>metadata))<and> (reallocate<in>metadata)

#9   ((intercept communication<in>metadata) <and> (enhancing
      perform<in>metadata))<and> (storage
      reallocating<in>metadata)

████████████████

Help   Contact Us   Privacy & :

Indexed by
🔲 Inspec®

09/966,953 Updated Search

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ⊙ The ACM Digital Library   ○ The Guide

[(monitoring or tracking or checking) and (performance or work]   **SEARCH**

Terms used
monitoring or **tracking** or **checking** and **performance** or **working** and **intercepted** **communications** and **enha**

Sort results by [relevance ▼]

Display results [expanded form ▼]

● Save results to a Binder

? Search Tips

☐ Open results in a new window

Results 181 - 200 of 200
Best 200 shown

Result page: previous   1   2   3   4

181 Real-time shading

Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Ranc
August 2004   **Proceedings of the conference on SIGGRAPH 2004 course notes GR**
Publisher: ACM Press
Full text available: ☒ pdf(7.39 MB)   Additional Information: full cita

Real-time procedural shading was once seen as a distant dream. When the first version of this
by combining the effects of tens to hundreds of rendering passes. Today, almost every new coi
thousands of instructions. This course has been redesigned to address today's real-time shadir

182 The Flux OSKit: a substrate for kernel and language research

Bryan Ford, Godmar Back, Greg Benson, Jay Lepreau, Albert Lin, Olin Shivers
October 1997   **ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth**
Publisher: ACM Press
Full text available: ☒ pdf(2.47 MB)   Additional Information: full citation, referer

183 Experience with transactions in QuickSilver

Frank Schmuck, Jim Wylie
September 1991   **ACM SIGOPS Operating Systems Review , Proceedings of the thirtee**
Publisher: ACM Press
Full text available: ☒ pdf(1.66 MB)   Additional Information: full cita

All programs in the QuickSilver distributed system behave atomically with respect to their upda
support this, as well as a mechanism that unifies reclamation of resources after failures or nori
operating system and presents some of the lessons learned from our experience with a comple

184 Practitioners report: The parks PDA: a handheld device for theme park guests in squeak

Yoshiki Ohshima, John Maloney, Andy Ogden
October 2003   **Companion of the 18th annual ACM SIGPLAN conference on Object-**
Publisher: ACM Press
Full text available: ☒ pdf(488.82 KB)   Additional Information: full cita

The Parks PDA is a lightweight, handheld device for theme park guests that functions as a com
a prototype Parks PDA and content for a three hour guest experience, including a camera inter